

<u>ATA</u>	<u>Description</u>	<u>Partno</u>	<u>Serialno</u>	<u>Description</u>	<u>Pos.</u>	<u>Inst-Date</u>	<u>TSN</u>	<u>CSN</u>
23-71	VOICE RECORDER SYSTEM	DK120	SC30541	BEACON	CVR	02.Apr.2014	UNKNOWN	UNKNOWN
				Requirement	Taskcard	Interval	TSR	To go
				OVERHAUL	23-071-21-01; 31-024-09-01;	2190/D	1y, 244d	4y, 120d
		ELP362D	20761	BEACON	DFDR	24.Feb.2013	UNKNOWN	UNKNOWN
				Requirement	Taskcard	Interval	TSR	To go
				OVERHAUL	23-071-21-01; 31-024-09-01;	2190/D	4y, 357d	1y, 7d
24-21	AC GENERATION SYSTEM	976J498-2	OL13265	GENERATOR A.C.	LH	16.Jun.2013	55607:35	48876
				Requirement	Taskcard	Interval	TSR	To go
				OVERHAUL	24-021-21-01; 24-021-11-02; 24-021-11-01;	8000/H	5182:35:00	2817:25:00
		976J498-2	XJ12389	GENERATOR A.C.	APU	03.Mar.2014	6151:35:00	3735
				Requirement	Taskcard	Interval	TSR	To go
				OVERHAUL	24-021-21-01; 24-021-11-02; 24-021-11-01;	8000/H	6151:35:00	1848:25:00
		976J498-2	ZM14374	GENERATOR A.C.	RH	19.Nov.2012	52124:35	32512
				Requirement	Taskcard	Interval	TSR	To go
				OVERHAUL	24-021-21-01; 24-021-11-02; 24-021-11-01;	8000/H	5182:35:00	2817:25:00
24-31	DC GENERATION SYSTEM	40176-7	S02551	BATTERY - MAIN CLASSIC B737 MAIN	E&E	22.Aug.2014	13237:00	10129
				Requirement	Taskcard	Interval	TSR	To go
				OVERHAUL	24-031-11-01;	750/H	299:45:00	450:15:00
24-50	AC ELECTRICAL LOAD DISTRIBUTION	915F213-4	ZB1062B	PANEL ASSY-BUS PROTECTION	FWD	29.Oct.2012	51852:35	40301
				Requirement	Taskcard	Interval	TSR	To go
				FUNCTIONAL CHECK	24-041-21-01;	8000/H	5182:35:00	2817:25:00
		948F458-3	WG491	UNIT - GENERATOR CONTROL	LH	10.Jun.2012	55840:35	42529
				Requirement	Taskcard	Interval	TSR	To go
				FUNCTIONAL CHECK	24-021-81-01;	8000/H	6296:35:00	1703:25:00
		948F458-5	TT7773	UNIT - GENERATOR CONTROL	AFT	06.Feb.2014	29868:35	26411
				Requirement	Taskcard	Interval	TSR	To go
				FUNCTIONAL CHECK	24-021-81-01;	8000/H	1749:35:00	6250:25:00
		948F458-5	ZI1747	UNIT - GENERATOR CONTROL	RH	08.Aug.2012	47259:35	33319
				Requirement	Taskcard	Interval	TSR	To go
				FUNCTIONAL CHECK	24-021-81-01;	8000/H	5719:35:00	2280:25:00
25-60	EMERGENCY	61767-101	749-2320	RESERVOIR	RH FWD	15.Nov.2013	UNKNOWN	UNKNOWN
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-2561-002;	5480/D	9y, 264d	5y, 105d
				OVERHAUL	25-061-35-01;	1825/D	1y, 50d	3y, 314d
				OVERHAUL	25-061-35-01;	1825/D	1y, 50d	3y, 314d
				OVERHAUL	25-061-35-01;	1825/D	1y, 50d	3y, 314d
		821454-6-NAS	97	FIRST AID KIT (JAR-OPS 1) NAS META	AFT	02.Apr.2014	16587:58	10825
				Requirement	Taskcard	Interval	TSR	To go
				OVERHAUL	NAS-2500-001;	365/D	206d, 15h	158d, 8h
		821454-6-NAS	168	FIRST AID KIT (JAR-OPS 1) NAS META	FWD	14.Oct.2014	12189:28	7046
				Requirement	Taskcard	Interval	TSR	To go
				OVERHAUL	NAS-2500-001;	365/D	21d, 15h	343d, 8h
		821553-8-NAS	73	EMERGENCY MEDICAL KIT (JAR-OPS 1)	FWD#2	14.Oct.2014	9604:35:00	5859
				Requirement	Taskcard	Interval	TSR	To go
				OVERHAUL	NAS-2500-001;	182/D	32d, 15h	149d, 8h
		E28180-10	ARZE-0730	SMOKE HOOD	AFT#1	14.Feb.2009	15572:35	11799
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-2560-002;	3650/D	6y, 143d	3y, 221d
		E28180-10	ARZM-0723	SMOKE HOOD	FWD#1	22.Feb.2009	15497:35	11743
				Requirement	Taskcard	Interval	TSR	To go

<u>ATA</u>	<u>Description</u>	<u>Partno</u>	<u>Serialno</u>	<u>Description</u>	<u>Pos.</u>	<u>Inst-Date</u>	<u>TSN</u>	<u>CSN</u>
		E28180-10	ARZM-0739	LIFE LIMIT SMOKE HOOD Requirement	NAS-2560-002; AFT#2 Taskcard	3650/D 14.Feb.2009	5y, 355d 15572:35	4y, 9d 11799
		E28180-10	ARZM-0778	LIFE LIMIT SMOKE HOOD Requirement	NAS-2560-002; FWD#2 Taskcard	3650/D 22.Feb.2009	5y, 355d 15497:35	4y, 9d 11743
		E28180-20-0001	BEDD-0457	LIFE LIMIT SMOKE HOOD Requirement	NAS-2560-002; FWD Taskcard	3650/D 10.Nov.2012	5y, 355d 5182:35:00	4y, 9d 3925
25-61	ESCAPE ROPES AND LINES	61620-468	1618A	LIFE LIMIT SLIDE - ESCAPE Requirement	- RH FWD Taskcard	3650/D 15.Nov.2013	2y, 178d 57335:35	7y, 186d 38716
		61621-469	1095A	OVERHAUL SLIDE - ESCAPE Requirement	NAS-2561-001; RH AFT Taskcard	1095/D 11.Jun.2014	2y, 142d 49951:35	222d, 8h 36867
		61621-469	2305A	OVERHAUL SLIDE - ESCAPE Requirement	NAS-2561-001; LH AFT Taskcard	365/D 22.Sep.2013	235d, 15h 2734:35:00	129d, 8h 2094
		61768-101	6202-6245	OVERHAUL RESERVOIR Requirement	NAS-2561-001; RH AFT Taskcard	1095/D 11.Jun.2014	2y, 265d UNKNOWN	99d, 8h UNKNOWN
		61768-201	6202-7948	LIFE LIMIT OVERHAUL OVERHAUL OVERHAUL RESERVOIR Requirement	NAS-2561-002; 25-061-35-01; 25-061-35-01; 25-061-35-01; AFT Taskcard	5480/D 1825/D 1825/D 1825/D 22.Sep.2013	6y, 22d 235d, 15h 235d, 15h 235d, 15h 2734:35:00	8y, 347d 4y, 129d 4y, 129d 4y, 129d 2094
		D31591-478	2028	LIFE LIMIT OVERHAUL OVERHAUL OVERHAUL	NAS-2561-002; 25-061-35-01; 25-061-35-01; 25-061-35-01;	5480/D 1825/D 1825/D 1825/D	2y, 206d 2y, 203d 2y, 203d 2y, 203d	12y, 163d 2y, 161d 2y, 161d 2y, 161d
		D37022-101	219-11952	OVERHAUL RESERVOIR Requirement	NAS-2561-001; LH FWD Taskcard	365/D 11.Jan.2014	323d, 15h UNKNOWN	41d, 8h UNKNOWN
25-63	EMERGENCY EVACUATION SIGNAL SYSTEM	1152682-1	072C-256	LIFE LIMIT OVERHAUL OVERHAUL TRANSMITTER UNIT - ELT Requirement	NAS-2561-002; 25-061-35-01; 25-061-35-01; AFT Taskcard	5480/D 5/D 5/D 13.Nov.2012	13y, 238d 2y, 81d 2y, 81d 29719:35	1y, 131d 2y, 284d 2y, 284d 23068
26-00	FIRE PROTECTION GENERAL	473957	51950EL	INSPECTION BOTTLE ASSY Requirement	NAS-2563-002; FWD#1 Taskcard	1825/D 10.Oct.2013	1y, 346d 22942:35	3y, 18d 14441
26-20	FIRE EXTINGUISHING	446617	ACH9787	FUNCTIONAL CHECK OVERHAUL CARTRIDGE Requirement	26-023-06-01; 26-023-05-01; AFT Taskcard	3650/D 3650/D 27.Dec.2013	2y, 33d 7y, 56d 1949:35:00	7y, 331d 2y, 308d 1504
		M446616	153	LIFE LIMIT CARTRIDGE - FIRE EXTINGUISHER - CA	26-023-07-01; FWD#1	3650/D 10.Oct.2013	2y, 113d 15379:35	7y, 251d 11643

<u>ATA</u>	<u>Description</u>	<u>Partno</u>	<u>Serialno</u>	<u>Description</u>	<u>Pos.</u>	<u>Inst-Date</u>	<u>TSN</u>	<u>CSN</u>
26-21	ENGINE FIRE EXTINGUISHING SYSTEM	30903871	0259NB	Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	26-023-07-01;	3650/D	6y, 250d	3y, 114d
				CARTRIDGE	FWD	02.Sep.2014	209:35:00	153
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	26-021-31-01;	3653/D	2y, 199d	7y, 168d
				CARTRIDGE	AFT	01.Nov.2010	10551:35	8086
		30903871	1824LE	Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	26-021-31-01;	3653/D	4y, 174d	5y, 193d
				CARTRIDGE	AFT	01.Nov.2010	10551:35	8086
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	26-021-31-01;	3653/D	4y, 113d	5y, 254d
				CARTRIDGE	FWD	12.Feb.2011	18779:35	14180
30903872	1340LE	Requirement	Taskcard	Interval	TSR	To go		
		LIFE LIMIT	26-021-31-01;	3653/D	4y, 113d	5y, 254d		
		CARTRIDGE	AFT	01.Nov.2010	10551:35	8086		
		Requirement	Taskcard	Interval	TSR	To go		
		LIFE LIMIT	26-021-31-01;	3653/D	4y, 113d	5y, 254d		
		CARTRIDGE	FWD	12.Feb.2011	18779:35	14180		
30903938	0444HD	Requirement	Taskcard	Interval	TSR	To go		
		LIFE LIMIT	26-021-31-01;	3653/D	4y, 113d	5y, 254d		
		CARTRIDGE	FWD	12.Feb.2011	18779:35	14180		
		Requirement	Taskcard	Interval	TSR	To go		
		LIFE LIMIT	26-021-31-01;	3650/D	6y, 279d	3y, 85d		
		BOTTLE ASSY	FWD	12.Feb.2011	58708:35	41386		
33700002	15624D1	Requirement	Taskcard	Interval	TSR	To go		
		CHECK	26-021-11-01;	3650/D	3y, 281d	6y, 83d		
		BOTTLE ASSY	AFT	13.Nov.2012	39757:35	51189		
		Requirement	Taskcard	Interval	TSR	To go		
		CHECK	26-021-11-01;	3650/D	2y, 11d	7y, 353d		
		CONTAINER - FIRE EXTINGUISHER APU	APU	29.Jun.2012	48777:35	39324		
26-22	APU FIRE EXTINGUISHING SYSTEM	33007507	30659B1	Requirement	Taskcard	Interval	TSR	To go
				CHECK	26-022-11-01;	1825/D	2y, 193d	2y, 171d
				OVERHAUL	26-022-12-01;	3650/D	2y, 193d	7y, 171d
				CARTRIDGE - FIRE EXTINGUISHER	APU	25.Mar.2009	15379:35	11643
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	26-022-21-01;	3650/D	5y, 344d	4y, 20d
		M30903828	1000	BOTTLE - FIRE EXTINGUISHER	AFT	25.May.2013	UNKNOWN	UNKNOWN
				Requirement	Taskcard	Interval	TSR	To go
				INSPECTION	26-024-12-01;	1095/D	1y, 171d	1y, 193d
				BOTTLE - FIRE EXTINGUISHER	AFT	25.May.2013	UNKNOWN	UNKNOWN
				Requirement	Taskcard	Interval	TSR	To go
				INSPECTION	26-024-12-01;	1095/D	1y, 171d	1y, 193d
30100022-3	743	BOTTLE - FIRE EXTINGUISHER	FWD	25.May.2013	UNKNOWN	UNKNOWN		
		Requirement	Taskcard	Interval	TSR	To go		
		INSPECTION	26-024-12-01;	1095/D	1y, 171d	1y, 193d		
		BOTTLE - FIRE EXTINGUISHER	FWD	25.May.2013	UNKNOWN	UNKNOWN		
		Requirement	Taskcard	Interval	TSR	To go		
		INSPECTION	26-024-12-01;	1095/D	1y, 171d	1y, 193d		
30100022-3	760	BOTTLE - FIRE EXTINGUISHER	AFT	31.May.2013	14122:35	11127		
		Requirement	Taskcard	Interval	TSR	To go		
		INSPECTION	NAS-2620-001;	1825/D	2y, 297d	2y, 67d		
		EXTINGUISHER ASSY	AFT	22.Aug.2014	29966:14	24121		
		Requirement	Taskcard	Interval	TSR	To go		
		DETAILED INSPECTION (DET)	NAS-2626-002;	365/D	160d, 15h	204d, 8h		
30100022-3	766	OVERHAUL	NAS-2626-003;	4380/D	158d, 15h	11y, 206d		
		EXTINGUISHER ASSY	FWD#2	03.Mar.2014	UNKNOWN	UNKNOWN		
		Requirement	Taskcard	Interval	TSR	To go		
		DETAILED INSPECTION (DET)	NAS-2626-002;	365/D	11d, 15h	353d, 8h		
		OVERHAUL	NAS-2626-003;	4380/D	1y, 157d	10y, 207d		
		EXTINGUISHER ASSY	AFT	03.Mar.2014	UNKNOWN	UNKNOWN		
26-24	LAVATORY FIRE EXTINGUISHING SYSTEM	30100022-3	743	Requirement	Taskcard	Interval	TSR	To go
				INSPECTION	26-024-12-01;	1095/D	1y, 171d	1y, 193d
				BOTTLE - FIRE EXTINGUISHER	AFT	25.May.2013	UNKNOWN	UNKNOWN
				Requirement	Taskcard	Interval	TSR	To go
				INSPECTION	26-024-12-01;	1095/D	1y, 171d	1y, 193d
				BOTTLE - FIRE EXTINGUISHER	FWD	25.May.2013	UNKNOWN	UNKNOWN
26-26	PORTABLE FIRE EXTINGUISHERS	892480	3010	Requirement	Taskcard	Interval	TSR	To go
				INSPECTION	NAS-2620-001;	1825/D	2y, 297d	2y, 67d
				EXTINGUISHER ASSY	AFT	22.Aug.2014	29966:14	24121
				Requirement	Taskcard	Interval	TSR	To go
				DETAILED INSPECTION (DET)	NAS-2626-002;	365/D	160d, 15h	204d, 8h
				OVERHAUL	NAS-2626-003;	4380/D	158d, 15h	11y, 206d
		898052	W-567324	EXTINGUISHER ASSY	FWD#2	03.Mar.2014	UNKNOWN	UNKNOWN
				Requirement	Taskcard	Interval	TSR	To go
				DETAILED INSPECTION (DET)	NAS-2626-002;	365/D	11d, 15h	353d, 8h
				OVERHAUL	NAS-2626-003;	4380/D	1y, 157d	10y, 207d
				EXTINGUISHER ASSY	AFT	03.Mar.2014	UNKNOWN	UNKNOWN
				Requirement	Taskcard	Interval	TSR	To go
898052	X-655307	DETAILED INSPECTION (DET)	NAS-2626-002;	365/D	11d, 15h	353d, 8h		
		OVERHAUL	NAS-2626-003;	4380/D	1y, 157d	10y, 207d		
		EXTINGUISHER ASSY	AFT	03.Mar.2014	UNKNOWN	UNKNOWN		
		Requirement	Taskcard	Interval	TSR	To go		
		DETAILED INSPECTION (DET)	NAS-2626-002;	365/D	11d, 15h	353d, 8h		
		OVERHAUL	NAS-2626-003;	4380/D	1y, 157d	10y, 207d		
898052	Y-172221	EXTINGUISHER ASSY	AFT	03.Mar.2014	UNKNOWN	UNKNOWN		
		Requirement	Taskcard	Interval	TSR	To go		
		DETAILED INSPECTION (DET)	NAS-2626-002;	365/D	11d, 15h	353d, 8h		
		OVERHAUL	NAS-2626-003;	4380/D	1y, 157d	10y, 207d		
		EXTINGUISHER ASSY	AFT	03.Mar.2014	UNKNOWN	UNKNOWN		
		Requirement	Taskcard	Interval	TSR	To go		
DETAILED INSPECTION (DET)	NAS-2626-002;	365/D	11d, 15h	353d, 8h				

<u>ATA</u>	<u>Description</u>	<u>Partno</u>	<u>Serialno</u>	<u>Description</u>	<u>Pos.</u>	<u>Inst-Date</u>	<u>TSN</u>	<u>CSN</u>	
27-21	RUDDER AND RUDDER TRIM CONTROL SYSTEM	2-7680-2	3813	OVERHAUL	NAS-2626-003;	4380/D	3y, 265d	8y, 99d	
				FUSE	AFT	23.Jan.2008	18779:35	14180	
				Requirement	Taskcard	Interval	TSR	To go	
27-41	HORIZONTAL STABILIZER TRIM CONTROL SYSTEM	65-49970-25	KE01031	BENCH CHECK	NAS-2900-001;	24000/H	18779:35	5220:25:00	
				ACTUATOR ASSY-STAB. TRIM	AFT	06.Nov.2012	49826:35	34926	
				Requirement	Taskcard	Interval	TSR	To go	
27-51	FLAP AND CONTROL SYSTEM	10-61312-22	1793	OVERHAUL	27-041-81-01;	24000/H	5182:35:00	18817:25	
				BALL NUT AND SCREW ASSY - UMBRA	#2	08.Nov.2012	5182:35:00	3925	
				Requirement	Taskcard	Interval	TSR	To go	
		5701802	5737RW		OVERHAUL	27-051-73-02; 27-051-73-01;	24000/H	5182:35:00	18817:25
					BALL NUT AND SCREW AY	#6	29.Jan.2008	38951:35	32724
					Requirement	Taskcard	Interval	TSR	To go
		7825221	301		OVERHAUL	27-051-73-02; 27-051-73-01;	24000/H	18779:35	5220:25:00
					BALL NUT AND SCREW ASSY	#7	03.Feb.2008	38731:35	23267
					Requirement	Taskcard	Interval	TSR	To go
		7825221	902		OVERHAUL	27-051-73-02; 27-051-73-01;	24000/H	18779:35	5220:25:00
					BALL NUT AND SCREW ASSY	#1	19.Jan.2008	29725:35	24660
					Requirement	Taskcard	Interval	TSR	To go
7825223	932		OVERHAUL	27-051-73-02; 27-051-73-01;	24000/H	18779:35	5220:25:00		
			BALL NUT AND SCREW AY	#4	17.Feb.2008	22093:35	16188		
			Requirement	Taskcard	Interval	TSR	To go		
793T100-7	6481		OVERHAUL	27-051-73-02; 27-051-73-01;	24000/H	22093:35	1906:25:00		
			DRIVE UNIT-ALTERNATE	LOWER	12.Nov.2012	55694:35	49131		
			Requirement	Taskcard	Interval	TSR	To go		
B20745D	2244		FUNCTIONAL CHECK	27-051-59-01;	16000/H	5182:35:00	10817:25		
			BALL NUT AND SCREW ASSY	#8	31.Jan.2008	18779:35	14180		
			Requirement	Taskcard	Interval	TSR	To go		
28-22	ENGINE FUEL FEED SYSTEM	106788A144	AA173416	OVERHAUL	27-051-73-02; 27-051-73-01;	24000/H	18779:35	5220:25:00	
				ACTUATOR ASSY	AFT	02.Nov.2012	13781:35	11093	
				Requirement	Taskcard	Interval	TSR	To go	
		40574-4	6509		OVERHAUL	28-022-31-01;	24000/H	5182:35:00	18817:25
					ACTUATOR ASSY	RH	31.Jan.2012	38899:35	34548
					Requirement	Taskcard	Interval	TSR	To go
		40574-4	6929		OVERHAUL	28-022-11-02; 28-022-11-01;	24000/H	7296:35:00	16703:25
					ACTUATOR ASSY	LH	04.Aug.2014	UNKNOWN	UNKNOWN
					Requirement	Taskcard	Interval	TSR	To go
		50989	3247		OVERHAUL	28-022-11-02; 28-022-11-01;	24000/H	476:24:00	23523:36
					GATE ASSY - ENGINE FUEL SHUTOFF	RH	31.Jan.2012	51687:35	37176
					Requirement	Taskcard	Interval	TSR	To go
50989	3580		OVERHAUL	28-022-11-02; 28-022-11-01;	24000/H	7296:35:00	16703:25		
			GATE ASSY - ENGINE FUEL SHUTOFF	LH	26.Feb.2014	45562:35	32318		
			Requirement	Taskcard	Interval	TSR	To go		
29-15	HYDRAULIC SYSTEMS A, B, AND STANDBY	2-7734-1	1341	OVERHAUL	28-022-11-02; 28-022-11-01;	24000/H	1749:35:00	22250:25	
				FUSE ASSY	HYDA	31.Jan.2008	50675:35	29426	
				Requirement	Taskcard	Interval	TSR	To go	
		6271-1	016A		BENCH CHECK	NAS-2900-001;	24000/H	18779:35	5220:25:00
					FUSE ASSY	HYDA	23.Jan.2008	50479:35	34079
					Requirement	Taskcard	Interval	TSR	To go
6271-1	897		BENCH CHECK	NAS-2900-001;	24000/H	18779:35	5220:25:00		
			FUSE ASSY	HYDB	23.Jan.2008	71800:35	35235		

<u>ATA</u>	<u>Description</u>	<u>Partno</u>	<u>Serialno</u>	<u>Description</u>	<u>Pos.</u>	<u>Inst-Date</u>	<u>TSN</u>	<u>CSN</u>
				Requirement	Taskcard			To go
		6271-1	947	BENCH CHECK	NAS-2900-001;	24000/H	18779:35	5220:25:00
				FUSE ASSY	RH	23.Jan.2008	71783:35	35219
				Requirement	Taskcard			To go
		6273-1	2454	BENCH CHECK	NAS-2900-001;	24000/H	18779:35	5220:25:00
				FUSE ASSY	HYDB	17.Feb.2008	18779:35	14180
				Requirement	Taskcard			To go
		6273-5	1730	BENCH CHECK	NAS-2900-001;	24000/H	18779:35	5220:25:00
				FUSE ASSY	#2	21.Feb.2008	61649:35	40618
				Requirement	Taskcard			To go
		6273-5	1814	BENCH CHECK	NAS-2900-001;	24000/H	18779:35	5220:25:00
				FUSE ASSY	#1	21.Feb.2008	60853:35	46168
				Requirement	Taskcard			To go
29-22	POWER TRANSFER UNIT (PTU) - HYDRAULIC	2-8020-12	1836	BENCH CHECK	NAS-2900-001;	24000/H	18779:35	5220:25:00
				FUSE ASSY	LH	14.Feb.2008	50637:35	29064
				Requirement	Taskcard			To go
		6257	904C	BENCH CHECK	NAS-2900-001;	24000/H	18779:35	5220:25:00
				FUSE ASSY	STBY	17.Jan.2008	40317:35	34388
				Requirement	Taskcard			To go
30-21	INLET COWL ANTI-ICING SYSTEM	17343-116-825F	A07870	BENCH CHECK	NAS-2900-001;	24000/H	18779:35	5220:25:00
				SWITCH - OVERTEMPERATURE	LH	17.Feb.2014	23614:35	18339
				Requirement	Taskcard			To go
		17343-116-825F	A08599	FUNCTIONAL CHECK	30-021-31-01; 30-021-31-02;	8000/H	1749:35:00	6250:25:00
				SWITCH - OVERTEMPERATURE	RH	19.Feb.2014	UNKNOWN	UNKNOWN
				Requirement	Taskcard			To go
		21SN41-52	G121	FUNCTIONAL CHECK	30-021-31-01; 30-021-31-02;	8000/H	1749:35:00	6250:25:00
				SWITCH - THERMAL ANTI ICE OVERPRESS.	RH	06.Feb.2014	45942:35	43321
				Requirement	Taskcard			To go
		21SN41-52	LHTL856	FUNCTIONAL CHECK	30-021-21-02; 30-021-21-01;	8000/H	1749:35:00	6250:25:00
				SWITCH - THERMAL ANTI ICE OVERPRESS.	LH	05.Feb.2014	55464:35	37281
				Requirement	Taskcard			To go
32-11	MAIN LANDING GEAR	65-46100-73	MC03525	FUNCTIONAL CHECK	30-021-21-02; 30-021-21-01;	8000/H	1749:35:00	6250:25:00
				SHOCK STRUT ASSY - MLG	LH	21.Feb.2014	58829:35	44972
				Requirement	Taskcard			To go
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
		65-46100-73	MC03526	SHOCK STRUT ASSY - MLG	RH	08.Feb.2014	58829:35	44972
				Requirement	Taskcard			To go
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
		65-46102-21	SS196	TORSION LINK ASSY, LOWER - MLG	RH	08.Feb.2014	58829:35	44972
				Requirement	Taskcard			To go
				LIFE LIMIT	NAS-3200-002;	75000/C	44'972	30'028
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
		65-46102-21	SS424	TORSION LINK ASSY, LOWER - MLG	LH	21.Feb.2014	59849:35	44972
				Requirement	Taskcard			To go
				LIFE LIMIT	NAS-3200-002;	75000/C	44'972	30'028
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d

<u>ATA</u>	<u>Description</u>	<u>Partno</u>	<u>Serialno</u>	<u>Description</u>	<u>Pos.</u>	<u>Inst-Date</u>	<u>TSN</u>	<u>CSN</u>
65-46103-11		CDF065		DRAG STRUT ASSY - MLG	LH	21.Feb.2014	59849:35	44972
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	44'972	30'028
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
65-46103-11		CDF073		DRAG STRUT ASSY - MLG	RH	08.Feb.2014	58829:35	44972
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	44'972	30'028
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
65-46106-11		SI6451		MLG UNIVERSAL ASSY-BRACE	RH	08.Feb.2014	18758:35	14418
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	14'418	60'582
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
65-46106-7		SI 5246		MLG UNIVERSAL ASSY-BRACE	LH	21.Feb.2014	58829:35	37181
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	37'181	37'819
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
65-46107-1		1725		UNIVERSAL ASSY, REACTION LINK - ML	LH	21.Feb.2014	59848:35	37631
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	37'631	37'369
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
65-46107-1		2407		UNIVERSAL ASSY, REACTION LINK - ML	RH	08.Feb.2014	58829:35	44972
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	44'972	30'028
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
65-46109-38		SI-10386		ACTUATOR BEAM ARM ASSY - MLG	LH	21.Feb.2014	59848:35	28358
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	28'358	46'642
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
65-46109-38		SI10668		ACTUATOR BEAM ARM ASSY - MLG	RH	08.Feb.2014	67742:35	28358
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	28'358	46'642
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
65-46113-21		423		TRUNNION PIN ASSY - MLG	LH	21.Feb.2014	59848:35	45273
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	45'273	29'727
65-46113-25		856		TRUNNION PIN ASSY - MLG	RH	08.Feb.2014	1749:35:00	1344
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	1'344	73'656
65-46116-61		SS0433		INNER CYLINDER ASSY - MLG	LH	21.Feb.2014	59849:35	44972
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	44'972	30'028
				OVERHAUL	-	21000/C	1'344	19'656

<u>ATA</u>	<u>Description</u>	<u>Partno</u>	<u>Serialno</u>	<u>Description</u>	<u>Pos.</u>	<u>Inst-Date</u>	<u>TSN</u>	<u>CSN</u>
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
65-46116-61		SS0480		INNER CYLINDER ASSY - MLG	RH	08.Feb.2014	58829:35	44972
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	44'972	30'028
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
65-46124-5		XY07R		METERING PIN - MLG SHOCK STRUT	RH	08.Feb.2014	58829:35	44972
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	44'972	30'028
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
65-46124-5		XY11L		METERING PIN - MLG SHOCK STRUT	LH	21.Feb.2014	59848:35	44972
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	44'972	30'028
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
65-46133-5		E1658		UPPER SIDE STRUT ASSY - MLG	RH	08.Feb.2014	58829:35	44972
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	44'972	30'028
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
65-46133-5		E3300		UPPER SIDE STRUT ASSY - MLG	LH	21.Feb.2014	59848:35	28358
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	28'358	46'642
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
65-46135-13		E1601		REACTION LINK ASSY - MLG	RH	08.Feb.2014	58829:35	44972
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	44'972	30'028
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
65-46135-13		O144		REACTION LINK ASSY - MLG	LH	21.Feb.2014	67742:35	40457
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	40'457	34'543
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
65-46138-20		396		LINK ASSY, UPPER DOWNLOCK - MLG	LH	21.Feb.2014	67742:35	37730
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	37'730	37'270
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
65-46138-20		OII-030		LINK ASSY, UPPER DOWNLOCK - MLG	RH	08.Feb.2014	1749:35:00	1344
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	1'344	73'656
65-46139-9		BBW01L		LINK ASSY, LOWER DOWNLOCK - MLG	LH	21.Feb.2014	67742:35	37730
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	37'730	37'270
65-46139-9		E2688		LINK ASSY, LOWER DOWNLOCK - MLG	RH	08.Feb.2014	58829:35	44972
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	44'972	30'028

<u>ATA</u>	<u>Description</u>	<u>Partno</u>	<u>Serialno</u>	<u>Description</u>	<u>Pos.</u>	<u>Inst-Date</u>	<u>TSN</u>	<u>CSN</u>
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
65-46140-9		590678TG598		TEE BOLT ASSY, DRAG STRUT - MLG	LH	21.Feb.2014	13706:35	10643
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	10'643	64'357
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
65-46140-9		SI8626		TEE BOLT ASSY, DRAG STRUT - MLG	RH	08.Feb.2014	67742:35	28358
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	28'358	46'642
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
65-46146-2		DLH53147		SHAFT, UPLock SUPPORT - MLG	RH	08.Feb.2014	54937:35	42784
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	42'784	32'216
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
65-46146-4		1491		SHAFT, UPLock SUPPORT - MLG	LH	21.Feb.2014	13706:35	10643
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	10'643	64'357
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
65-46159-7		XY13L		TUBE ASSY, ORIFICE SUPPORT	LH	21.Feb.2014	58829:35	44972
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	44'972	30'028
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
65-46159-9		93		TUBE ASSY, ORIFICE SUPPORT	RH	08.Feb.2014	UNKNOWN	3857
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	-	75000/C	3'857	71'143
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
65-46160-10		93		SUPPORT TUBE - ORIFICE MLG	RH	08.Feb.2014	UNKNOWN	3857
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	3'857	71'143
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
				OVERHAUL	-	21000/C	1'344	19'656
65-60579-3		SI 4727		LOWER DRAG STRUT ASSY - MLG	LH	21.Feb.2014	58829:35	44972
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	44'972	30'028
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
65-60579-3		SI4744		LOWER DRAG STRUT ASSY - MLG	RH	08.Feb.2014	58829:35	44972
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	44'972	30'028
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
65-61740-10		SS0057		OUTER CYLINDER ASSY - MLG	LH	21.Feb.2014	59849:35	44972
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	44'972	30'028



<u>ATA</u>	<u>Description</u>	<u>Partno</u>	<u>Serialno</u>	<u>Description</u>	<u>Pos.</u>	<u>Inst-Date</u>	<u>TSN</u>	<u>CSN</u>
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
65-61740-10		SS0068		OUTER CYLINDER ASSY - MLG	RH	08.Feb.2014	58829:35	44972
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	44'972	30'028
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
65-63378-11		136PD		TRUNNION LINK ASSY - MLG	LH	21.Feb.2014	59848:35	45665
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	45'665	29'335
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
65-63378-9		181PD		TRUNNION LINK ASSY - MLG	RH	08.Feb.2014	67742:35	45665
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	45'665	29'335
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
65-63397-9		2846		LOWER SIDE STRUT ASSY - MLG	LH	21.Feb.2014	47895:35	44832
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	44'832	30'168
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
65-63397-9		E3704		LOWER SIDE STRUT ASSY - MLG	RH	08.Feb.2014	58829:35	44972
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	44'972	30'028
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
65-67963-3		SS375		TORSION LINK ASSY, UPPER - MLG	RH	08.Feb.2014	464942:35	44972
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	44'972	30'028
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
65-67963-3		SS384		TORSION LINK ASSY, UPPER - MLG	LH	21.Feb.2014	59849:35	44972
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	44'972	30'028
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
65-73761-127		MC03525		MAIN LANDING GEAR ASSY LH	LH	21.Feb.2014	58829:35	44972
				Requirement	Taskcard	Interval	TSR	To go
				OVERHAUL	32-011-00-01;	21000/C	1'344	19'656
				OVERHAUL	32-011-00-01;	3650/D	1y, 52d	8y, 312d
65-73761-128		MC03526		MAIN LANDING GEAR ASSY RH	RH	08.Feb.2014	58829:35	44972
				Requirement	Taskcard	Interval	TSR	To go
				OVERHAUL	32-011-00-02;	21000/C	1'344	19'656
				OVERHAUL	32-011-00-02;	3650/D	1y, 63d	8y, 301d
65-84161-4		BEM0010		NUT, AFT TRUNNION - MLG	LH	07.Oct.2014	02:35	1
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	1	74'999
				OVERHAUL	-	21000/C	1	20'999
				OVERHAUL	-	3650/D	49d, 15h	9y, 315d

<u>ATA</u>	<u>Description</u>	<u>Partno</u>	<u>Serialno</u>	<u>Description</u>	<u>Pos.</u>	<u>Inst-Date</u>	<u>TSN</u>	<u>CSN</u>
65-84161-4		BEM0019		NUT, AFT TRUNNION - MLG	RH	08.Oct.2014	02:35	1
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	1	74'999
				OVERHAUL	-	21000/C	1	20'999
				OVERHAUL	-	3650/D	49d, 15h	9y, 315d
65C31332-6		1218		BEARING ASSY, FORWARD TRUNNION - M	RH	08.Feb.2014	13706:35	10643
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	10'643	64'357
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
65C31332-6		SRT/IRL434		BEARING ASSY, FORWARD TRUNNION - M	LH	21.Feb.2014	13706:35	10643
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	10'643	64'357
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
69-38993-3		SI 3808		BOLT -REACTION LINK UPLOCK MLG	LH	07.Oct.2014	02:35	1
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	1	74'999
				OVERHAUL	-	21000/C	1	20'999
				OVERHAUL	-	3650/D	49d, 15h	9y, 315d
69-38993-3		SI 3835		BOLT -REACTION LINK UPLOCK MLG	RH	08.Oct.2014	02:35	1
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	1	74'999
				OVERHAUL	-	21000/C	1	20'999
				OVERHAUL	-	3650/D	46d, 15h	9y, 318d
69-38999-4		OII-964		SHAFT, SPRING SUPPORT - MLG	LH	21.Feb.2014	1749:35:00	1344
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	1'344	73'656
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 128d	8y, 236d
69-38999-4		OII-967		SHAFT, SPRING SUPPORT - MLG	RH	08.Feb.2014	1749:35:00	1344
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	1'344	73'656
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 103d	8y, 261d
69-39465-20		OII-375		NUT - GLAND - MLG	RH	08.Feb.2014	1749:35:00	1344
				Requirement	Taskcard	Interval	TSR	To go
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
69-39465-20		OII-920		NUT - GLAND - MLG	LH	20.Dec.2013	1977:35:00	1526
				Requirement	Taskcard	Interval	TSR	To go
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 323d	8y, 41d
69-39473-6		LLP-AC370		BOLT ASSY, LOWER DRAG STRUT - MLG	LH	21.Feb.2014	13706:35	10643
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	10'643	64'357
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
69-39473-6		WASI 25492-11		BOLT ASSY, LOWER DRAG STRUT - MLG	RH	08.Feb.2014	1749:35:00	1344
				Requirement	Taskcard	Interval	TSR	To go

<u>ATA</u>	<u>Description</u>	<u>Partno</u>	<u>Serialno</u>	<u>Description</u>	<u>Pos.</u>	<u>Inst-Date</u>	<u>TSN</u>	<u>CSN</u>
				LIFE LIMIT	NAS-3200-002;	75000/C	1'344	73'656
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 244d	8y, 120d
69-41629-2		VT699		BOLT, DOWNLOCK LINK PIVOT - MLG	LH	07.Oct.2014	02:35	1
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	1	74'999
69-41629-2		VT709		BOLT, DOWNLOCK LINK PIVOT - MLG	RH	08.Oct.2014	02:35	1
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	1	74'999
69-41633-5		1551		NUT, TRUNNION PIN - MLG	RH	08.Feb.2014	1749:35:00	1344
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	1'344	73'656
69-42193-3		11/05/1959		BOLT, DOWNLOCK - MLG	LH	20.Dec.2013	1977:35:00	1526
				Requirement	Taskcard	Interval	TSR	To go
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
69-42193-3		OII-1156		BOLT, DOWNLOCK - MLG	RH	08.Feb.2014	1749:35:00	1344
				Requirement	Taskcard	Interval	TSR	To go
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 103d	8y, 261d
69-51833-4		AC1006		BOLT, TEE FITTING ATTACHEMENT - ML	RH	08.Feb.2014	1749:35:00	1344
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	1'344	73'656
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 101d	8y, 263d
69-51833-4		AC1010		BOLT, TEE FITTING ATTACHEMENT - ML	LH	21.Feb.2014	1749:35:00	1344
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	1'344	73'656
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 126d	8y, 238d
69-62779-3		765		BOLT ASSY, UPPER DOWNLOCK - MLG	RH	08.Oct.2014	02:35	1
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	1	74'999
69-62779-3		SI354		BOLT ASSY, UPPER DOWNLOCK - MLG	LH	21.Feb.2014	21596:35	16993
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	16'993	58'007
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
69-68148-3		425		BOLT ASSY, REACTION LINK - MLG	RH	08.Oct.2014	02:35	1
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	1	74'999
69-68148-3		SI149		BOLT ASSY, REACTION LINK - MLG	LH	21.Feb.2014	21596:35	16993
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	16'993	58'007
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
69-68149-3		OII-527		BOLT ASSY, UPPER SIDE STRU - MLG	LH	07.Oct.2014	02:35	1
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	1	74'999
69-68149-3		OII-549		BOLT ASSY, UPPER SIDE STRU - MLG	RH	08.Oct.2014	02:35	1

<u>ATA</u>	<u>Description</u>	<u>Partno</u>	<u>Serialno</u>	<u>Description</u>	<u>Pos.</u>	<u>Inst-Date</u>	<u>TSN</u>	<u>CSN</u>
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	1	74'999
69-68150-3		SI 345		BOLT ASSY, SIDE STRUT - MLG	RH	08.Oct.2014	02:35	1
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	1	74'999
69-68150-3		SI039		BOLT ASSY, SIDE STRUT - MLG	LH	21.Feb.2014	21596:35	16993
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	16'993	58'007
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
69-68151-3		SI 3478		BOLT ASSY, LOWER SIDE STRUT - MLG	RH	08.Feb.2014	1749:35:00	1344
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	1'344	73'656
69-68151-3		SI3306		BOLT ASSY, LOWER SIDE STRUT - MLG	LH	21.Feb.2014	13706:35	10643
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	10'643	64'357
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
69-72023-4		EGL0265		TORSION LINK, PIN - MLG	LH	21.Feb.2014	21596:35	16993
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	16'993	58'007
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
69-72023-4		LLP0440		TORSION LINK, PIN - MLG	RH	08.Feb.2014	67742:35	28358
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	28'358	46'642
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
69-72023-4		LLP1057		TORSION LINK, PIN - MLG	RH	08.Feb.2014	67742:35	28358
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	28'358	46'642
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
69-72023-4		LLP1148		TORSION LINK, PIN - MLG	LH	21.Feb.2014	59848:35	28358
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	28'358	46'642
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
69-73169-1		XY02R		FUSE BOLT ASSY, UPPER DRAG STRUT -	RH	08.Feb.2014	58829:35	44972
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	44'972	30'028
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
69-73169-3		OII728		FUSE BOLT ASSY, UPPER DRAG STRUT -	LH	21.Feb.2014	21596:35	16993
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	16'993	58'007
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
69-73176-2		SII 748		FUSE BOLT, FORWARD TRUNNION BEARIN	LH	07.Oct.2014	02:35	1
				Requirement	Taskcard	Interval	TSR	To go

<u>ATA</u>	<u>Description</u>	<u>Partno</u>	<u>Serialno</u>	<u>Description</u>	<u>Pos.</u>	<u>Inst-Date</u>	<u>TSN</u>	<u>CSN</u>
		69-73176-2	SII 757	LIFE LIMIT FUZE BOLT, FORWARD TRUNNION BEARIN Requirement	NAS-3200-002; RH Taskcard	75000/C 08.Oct.2014	1 02:35	74'999 1
		69-78313-2	OII-1060	LIFE LIMIT NUT, TRUNNION PIN - MLG Requirement	NAS-3200-002; LH Taskcard	75000/C 21.Feb.2014	1 1749:35:00	74'999 1344
		BACB30LJ20CD48	LTLGS01037	LIFE LIMIT OVERHAUL OVERHAUL MLG BOLT ACTUATOR ROD END Requirement	NAS-3200-002; - - LH Taskcard	75000/C 21000/C 3650/D 21.Feb.2014	1 1'344 1'344 1749:35:00	74'999 73'656 19'656 8y, 66d 1344
		BACB30LJ20CD48	LTLGS01063	LIFE LIMIT OVERHAUL OVERHAUL MLG BOLT ACTUATOR ROD END Requirement	NAS-3200-002; - - RH Taskcard	75000/C 21000/C 3650/D 08.Feb.2014	1'344 1'344 1y, 228d 1749:35:00	73'656 19'656 8y, 136d 1344
		BACB30LJ20CDE43	LTLGS00877	LIFE LIMIT OVERHAUL OVERHAUL MLG BOLT ACTUATOR BEAM Requirement	NAS-3200-002; - - LH Taskcard	75000/C 3650/D 21000/C 21.Feb.2014	1'344 1y, 319d 1'344 1749:35:00	73'656 8y, 45d 19'656 1344
		BACB30LJ20CDE43	LTLGS00878	LIFE LIMIT OVERHAUL OVERHAUL MLG BOLT ACTUATOR BEAM Requirement	NAS-3200-002; - - RH Taskcard	75000/C 3650/D 21000/C 08.Feb.2014	1'344 1y, 319d 1'344 1749:35:00	73'656 8y, 45d 19'656 1344
32-21	NOSE LANDING GEAR	65-46200-76	T3011	LIFE LIMIT SHOCK STRUT ASSY - NLG Requirement	FWD Taskcard	12.Feb.2011	62663:35	47675
		65-46203-26	CPI0002	LIFE LIMIT OVERHAUL OVERHAUL STEERING COLLAR - NLG Requirement	FWD Taskcard	12.Feb.2011	11765:35	9097
		65-46210-35	CPT0015ET	LIFE LIMIT OVERHAUL OVERHAUL OUTER CYLINDER ASSY - NLG Requirement	NAS-3200-002; - - FWD Taskcard	75000/C 21000/C 3650/D 12.Feb.2011	9'097 9'097 4y, 263d 62663:35	65'903 11'903 5y, 101d 47675
		65-46215-21	CPT2931ET	LIFE LIMIT OVERHAUL OVERHAUL INNER CYLINDER ASSY - NLG Requirement	NAS-3200-002; - - FWD Taskcard	75000/C 21000/C 3650/D 12.Feb.2011	47'675 16'095 7y, 348d 62663:35	27'325 4'905 2y, 16d 47675
		65-46219-2	OII-42	LIFE LIMIT OVERHAUL OVERHAUL METERING PIN - NLG Requirement	NAS-3200-002; - - FWD Taskcard	75000/C 21000/C 3650/D 12.Feb.2011	47'675 16'095 7y, 348d 21063:35	27'325 4'905 2y, 16d 16095

<u>ATA</u>	<u>Description</u>	<u>Partno</u>	<u>Serialno</u>	<u>Description</u>	<u>Pos.</u>	<u>Inst-Date</u>	<u>TSN</u>	<u>CSN</u>
				LIFE LIMIT	NAS-3200-002;	75000/C	16'095	58'905
				OVERHAUL	-	21000/C	16'095	4'905
				OVERHAUL	-	3650/D	7y, 348d	2y, 16d
65-46221-6		WBK1369		GLAND NUT ASSY - NLG	FWD	12.Feb.2011	21063:35	16095
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	-	75000/C	16'095	58'905
				OVERHAUL	-	21000/C	16'095	4'905
				OVERHAUL	-	3650/D	7y, 348d	2y, 16d
65-46226-9		XY02		SUPPORT TUBE - NLG	FWD	12.Feb.2011	62663:35	47675
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	47'675	27'325
				OVERHAUL	-	21000/C	16'095	4'905
				OVERHAUL	-	3650/D	7y, 348d	2y, 16d
65-46230-11		DLH50862		LOWER DRAG BRACE - NLG	FWD	12.Feb.2011	133300:35	54213
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	54'213	20'787
				OVERHAUL	-	21000/C	16'095	4'905
				OVERHAUL	-	3650/D	7y, 348d	2y, 16d
65-46288-15		CCT0112		TORSION LINK ASSY UPPER/LOWER - NL	UPPER	09.Oct.2014	02:35	1
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	1	74'999
65-46288-15		CCT0126		TORSION LINK ASSY UPPER/LOWER - NL	LOWER	09.Oct.2014	02:35	1
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	1	74'999
65-73762-21		T3011		NOSE LANDING GEAR ASSEMBLY	FWD	12.Feb.2011	62663:35	47675
				Requirement	Taskcard	Interval	TSR	To go
				OVERHAUL	32-021-00-01;	21000/C	16'095	4'905
				OVERHAUL	32-021-00-01;	3650/D	7y, 348d	2y, 16d
65-80051-20		S06976		UPPER DRAG BRACE - NLG	FWD	12.Feb.2011	62663:35	47675
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	47'675	27'325
				OVERHAUL	-	21000/C	16'095	4'905
				OVERHAUL	-	3650/D	7y, 348d	2y, 16d
65C25676-1		CPT0015ET		OUTER CYLINDER - NLG	FWD	12.Feb.2011	62663:35	47675
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	47'675	27'325
				OVERHAUL	-	21000/C	16'095	4'905
				OVERHAUL	-	3650/D	7y, 348d	2y, 16d
65C25707-2		OII-062		STEM, ORIFICE SUPPORT - NLG	FWD	09.Oct.2014	02:35	1
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	1	74'999
65C34776-1		OII-147		TRUNNION PIN LH - NLG	FWD	12.Feb.2011	21063:35	16095
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	16'095	58'905
				OVERHAUL	-	21000/C	16'095	4'905
				OVERHAUL	-	3650/D	7y, 348d	2y, 16d
65C37823-2		36		PIN, TORSION LINK LOWER/UPPER - NL	LOWER	09.Oct.2014	02:35	1
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	-	75000/C	1	74'999
				OVERHAUL	-	21000/C	1	20'999

<u>ATA</u>	<u>Description</u>	<u>Partno</u>	<u>Serialno</u>	<u>Description</u>	<u>Pos.</u>	<u>Inst-Date</u>	<u>TSN</u>	<u>CSN</u>
		65C37823-2	38	OVERHAUL	-	3650/D	46d, 15h	9y, 318d
				PIN, TORSION LINK LOWER/UPPER - NL	UPPER	09.Oct.2014	02:35	1
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	-	75000/C	1	74'999
				OVERHAUL	-	21000/C	1	20'999
		69-35396-5	1786	OVERHAUL	-	3650/D	46d, 15h	9y, 318d
				BOLT, LOWER DRAG BRACE - NLG	FWD	12.Feb.2011	21068:35	16095
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	16'095	58'905
				OVERHAUL	-	21000/C	16'095	4'905
				OVERHAUL	-	3650/D	7y, 348d	2y, 16d
		69-36622-1	167	ORIFICE PLATE, UPPER - NLG	FWD	12.Feb.2011	21063:35	16095
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	16'095	58'905
				OVERHAUL	-	21000/C	16'095	4'905
				OVERHAUL	-	3650/D	7y, 348d	2y, 16d
		69-41248-3	SI2351	TRUNNION PIN, RH - NLG	FWD	12.Feb.2011	21063:35	16095
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	16'095	58'905
				OVERHAUL	-	21000/C	16'095	4'905
				OVERHAUL	-	3650/D	7y, 348d	2y, 16d
		69-61383-4	2016HMI	BOLT, STEERING COLLAR - NLG	FWD	12.Feb.2011	62663:35	47675
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	47'675	27'325
				OVERHAUL	-	21000/C	16'095	4'905
				OVERHAUL	-	3650/D	7y, 348d	2y, 16d
		69-61383-4	2037HMI	BOLT, STEERING COLLAR - NLG	FWD	12.Feb.2011	62663:35	47675
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	47'675	27'325
				OVERHAUL	-	21000/C	16'095	4'905
				OVERHAUL	-	3650/D	7y, 348d	2y, 16d
		BACB30LM10CD52	SRT/IRL356	BOLT, TORSION LINK APEX - NLG	FWD	12.Feb.2011	21063:35	16095
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	16'095	58'905
				OVERHAUL	-	21000/C	16'095	4'905
				OVERHAUL	-	3650/D	7y, 348d	2y, 16d
32-30	LANDING GEAR EXTENSION RETRACTION	65-46108-17	75	ACTUATOR BEAM ASSY - MLG	LH	21.Feb.2014	67742:35	48207
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	48'207	26'793
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
		65-46108-19	1051	ACTUATOR BEAM ASSY - MLG	RH	08.Feb.2014	58829:35	44972
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	44'972	30'028
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
		65-46112-22	SRT/IRL63	SUPPORT LINK ASSY - MLG	LH	21.Feb.2014	48035:35	44972
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	44'972	30'028
				OVERHAUL	-	21000/C	1'344	19'656

<u>ATA</u>	<u>Description</u>	<u>Partno</u>	<u>Serialno</u>	<u>Description</u>	<u>Pos.</u>	<u>Inst-Date</u>	<u>TSN</u>	<u>CSN</u>
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
		65-46112-22	SRT/IRL66	SUPPORT LINK ASSY - MLG	RH	08.Feb.2014	58829:35	44972
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	44'972	30'028
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
		69-39464-4	3061	BOLT, ACTUATOR BEAM, OUTBD - MLG	RH	08.Feb.2014	58829:35	44972
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	44'972	30'028
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
		69-39464-4	OII-48	BOLT, ACTUATOR BEAM, OUTBD - MLG	LH	07.Oct.2014	02:35	1
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	1	74'999
32-32	MAIN GEAR EXTENSION AND RETRACTION	6252	4650B	FUSE ASSY	RH	17.Jan.2008	59054:35	43063
				Requirement	Taskcard	Interval	TSR	To go
				BENCH CHECK	NAS-2900-001;	24000/H	18782:35	5217:25:00
		6252	4987B	FUSE ASSY	LHUPR	17.Jan.2008	43227:35	24739
				Requirement	Taskcard	Interval	TSR	To go
				BENCH CHECK	NAS-2900-001;	24000/H	18782:35	5217:25:00
		6252	5000B	FUSE ASSY	LH	17.Jan.2008	43227:35	24739
				Requirement	Taskcard	Interval	TSR	To go
				BENCH CHECK	NAS-2900-001;	24000/H	18782:35	5217:25:00
		6252	5141B	FUSE ASSY	RH	17.Jan.2008	43237:35	24739
				Requirement	Taskcard	Interval	TSR	To go
				BENCH CHECK	NAS-2900-001;	24000/H	18792:35	5207:25:00
		6252	55159	FUSE ASSY	LH	18.Jan.2008	65494:35	32414
				Requirement	Taskcard	Interval	TSR	To go
				BENCH CHECK	NAS-2900-001;	24000/H	18782:35	5217:25:00
		6252	6633B	FUSE ASSY	RHUPR	17.Jan.2008	18782:35	14180
				Requirement	Taskcard	Interval	TSR	To go
				BENCH CHECK	NAS-2900-001;	24000/H	18782:35	5217:25:00
		6272-1	2880	FUSE ASSY	FWD	18.Jan.2008	18782:35	14180
				Requirement	Taskcard	Interval	TSR	To go
				BENCH CHECK	NAS-2900-001;	24000/H	18782:35	5217:25:00
		65-46141-11	DLH55807	UPLOCK ASSY - LHMLG	LH	21.Feb.2014	67742:35	44104
				Requirement	Taskcard	Interval	TSR	To go
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
		65-46141-12	DLH55806	UPLOCK ASSY - RHMLG	RH	08.Feb.2014	67739:35	44104
				Requirement	Taskcard	Interval	TSR	To go
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d
		65-63663-3	0885F	BELLCRANK ASSY - MLG	LH	21.Feb.2014	67742:35	44104
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	NAS-3200-002;	75000/C	44'104	30'896
				OVERHAUL	-	21000/C	1'344	19'656
				OVERHAUL	-	3650/D	1y, 52d	8y, 312d
		65-63663-3	3295F	BELLCRANK ASSY - MLG	RH	08.Feb.2014	67742:35	44104
				Requirement	Taskcard	Interval	TSR	To go



<u>ATA</u>	<u>Description</u>	<u>Partno</u>	<u>Serialno</u>	<u>Description</u>	<u>Pos.</u>	<u>Inst-Date</u>	<u>TSN</u>	<u>CSN</u>	
32-33	NOSE GEAR EXTENSION AND RETRACTION	65-46240-11	XY02	LIFE LIMIT	NAS-3200-002;	75000/C	44'104	30'896	
				OVERHAUL	-	21000/C	1'344	19'656	
				OVERHAUL	-	3650/D	1y, 63d	8y, 301d	
				LOCK BRACE ASSY, AFT - NLG	FWD	12.Feb.2011	57128:35	47699	
				Requirement	Taskcard	Interval	TSR	To go	
				LIFE LIMIT	NAS-3200-002;	75000/C	47'699	27'301	
				OVERHAUL	-	21000/C	16'095	4'905	
				OVERHAUL	-	3650/D	7y, 348d	2y, 16d	
				LOCK LINK ASSY, FWD - NLG	FWD	12.Feb.2011	57128:35	47699	
				Requirement	Taskcard	Interval	TSR	To go	
				LIFE LIMIT	NAS-3200-002;	75000/C	47'699	27'301	
				OVERHAUL	-	21000/C	16'095	4'905	
		OVERHAUL	-	3650/D	7y, 348d	2y, 16d			
		65-46242-11	XY01	DLH55805	LINK - LOCK ASSY - NLG (NOT LLP IA	FWD	12.Feb.2011	62663:35	47675
					Requirement	Taskcard	Interval	TSR	To go
					OVERHAUL	-	21000/C	16'095	4'905
					OVERHAUL	-	3650/D	7y, 348d	2y, 16d
					LINK - LOCK ASSY - NLG (NOT LLP IA	FWD	12.Feb.2011	62663:35	47675
					Requirement	Taskcard	Interval	TSR	To go
		69-35385-2	OII-542	OII-542	SHAFT, AFT LOCK MECHANISM - NLG	FWD	12.Feb.2011	21063:35	16095
					Requirement	Taskcard	Interval	TSR	To go
					LIFE LIMIT	NAS-3200-002;	75000/C	16'095	58'905
					OVERHAUL	-	21000/C	16'095	4'905
					OVERHAUL	-	3650/D	7y, 348d	2y, 16d
Requirement	Taskcard				Interval	TSR	To go		
69-35391-2	OII-960	OII-960	PIN, DRAG BRACE CENTER - NLG	FWD	12.Feb.2011	21068:35	16095		
			Requirement	Taskcard	Interval	TSR	To go		
			LIFE LIMIT	NAS-3200-002;	75000/C	16'095	58'905		
			OVERHAUL	-	21000/C	16'095	4'905		
			OVERHAUL	-	3650/D	7y, 348d	2y, 16d		
			Requirement	Taskcard	Interval	TSR	To go		
69-35394-4	SI4309	SI4309	PIN, DRAG BRACE UPPER - NLG	FWD	12.Feb.2011	10091:35	7745		
			Requirement	Taskcard	Interval	TSR	To go		
			LIFE LIMIT	NAS-3200-002;	75000/C	7'745	67'255		
			OVERHAUL	-	21000/C	7'745	13'255		
			OVERHAUL	-	3650/D	8y, 355d	1y, 9d		
			Requirement	Taskcard	Interval	TSR	To go		
69-35394-4	SI4318	SI4318	PIN, DRAG BRACE UPPER - NLG	FWD	12.Feb.2011	10091:35	7745		
			Requirement	Taskcard	Interval	TSR	To go		
			LIFE LIMIT	NAS-3200-002;	75000/C	7'745	67'255		
			OVERHAUL	-	21000/C	7'745	13'255		
			OVERHAUL	-	3650/D	8y, 355d	1y, 9d		
			Requirement	Taskcard	Interval	TSR	To go		
69-53297-2	44	44	SHAFT, CENTER LOCK MECHANISM - NLG	FWD	09.Oct.2014	02:35	1		
			Requirement	Taskcard	Interval	TSR	To go		
			LIFE LIMIT	NAS-3200-002;	75000/C	1	74'999		
			OVERHAUL	-	21000/C	1	20'999		
			OVERHAUL	-	3650/D	49d, 15h	9y, 315d		
			Requirement	Taskcard	Interval	TSR	To go		
32-51	NOSE WHEEL STEERING SYSTEM	65-46210-24	CPT2369MIW	STEERING PLATE, LOWER(DRILLED) - N	FWD	12.Feb.2011	62663:35	47675	
				Requirement	Taskcard	Interval	TSR	To go	
				LIFE LIMIT	NAS-3200-002;	75000/C	47'675	27'325	
				OVERHAUL	-	21000/C	16'095	4'905	
				OVERHAUL	-	3650/D	7y, 348d	2y, 16d	
				Requirement	Taskcard	Interval	TSR	To go	
		65-46210-33	CPT2532MIW	CPT2532MIW	STEERING PLATE UPPER (DRILLED)	FWD	12.Feb.2011	62663:35	47675
					Requirement	Taskcard	Interval	TSR	To go
					LIFE LIMIT	NAS-3200-002;	75000/C	47'675	27'325

<u>ATA</u>	<u>Description</u>	<u>Partno</u>	<u>Serialno</u>	<u>Description</u>	<u>Pos.</u>	<u>Inst-Date</u>	<u>TSN</u>	<u>CSN</u>	
35-12	FLIGHT CREW OXYGEN SYSTEM	117003-12	61980	OVERHAUL	-	21000/C	16'095	4'905	
				OVERHAUL	-	3650/D	7y, 348d	2y, 16d	
					OXYGEN GENERATOR 2 P	AFT	24.Jun.2011	8787:35:00	6697
					Requirement	Taskcard	Interval	TSR	To go
					LIFE LIMIT	35-022-12-01;	4380/D	9y, 309d	2y, 55d
			801307-00	599240	CYLINDER ASSY - CREW OXYGEN	#1	12.Sep.2014	8381:49:00	5858
					Requirement	Taskcard	Interval	TSR	To go
					LIFE LIMIT	NAS-3512-001;	8760/D	17y, 85d	6y, 279d
			E71720-00	ARZF-F009-149	OVERHAUL	12-015-21-01;	1095/D	1y, 142d	1y, 222d
					GENERATOR	AFT	12.Mar.2010	12454:35	9487
					Requirement	Taskcard	Interval	TSR	To go
					LIFE LIMIT	35-022-12-01;	5475/D	5y, 273d	9y, 91d
			E71720-00	ARZF-F009-151	GENERATOR	FWD	12.Mar.2010	12454:35	9487
					Requirement	Taskcard	Interval	TSR	To go
					LIFE LIMIT	35-022-12-01;	5475/D	5y, 273d	9y, 91d
			E71720-00	ARZF-F009-153	GENERATOR	AFT	12.Mar.2010	12454:35	9487
					Requirement	Taskcard	Interval	TSR	To go
					LIFE LIMIT	35-022-12-01;	5475/D	5y, 273d	9y, 91d
			E71720-00	ARZF-F009-204	GENERATOR	AFT	12.Mar.2010	12454:35	9487
					Requirement	Taskcard	Interval	TSR	To go
			LIFE LIMIT	35-022-12-01;	5475/D	5y, 273d	9y, 91d		
	E71720-00	ARZF-F009-213	GENERATOR	FWD	12.Mar.2010	12454:35	9487		
			Requirement	Taskcard	Interval	TSR	To go		
			LIFE LIMIT	35-022-12-01;	5475/D	5y, 273d	9y, 91d		
	MC10-25-104	32839	MASK - CREW OXYGEN	#1	31.Mar.2012	54016:35	36818		
			Requirement	Taskcard	Interval	TSR	To go		
			FUNCTIONAL CHECK	35-012-86-01;	16000/H	6854:35:00	9145:25:00		
	MC10-25-104	33047	MASK - CREW OXYGEN	FWD	04.Nov.2012	16020:35	9983		
			Requirement	Taskcard	Interval	TSR	To go		
			FUNCTIONAL CHECK	35-012-86-01;	16000/H	5182:35:00	10817:25		
	MC10-25-124	49059	MASK - CREW OXYGEN	#2	04.Nov.2012	77885:35	20978		
			Requirement	Taskcard	Interval	TSR	To go		
			FUNCTIONAL CHECK	35-012-86-01;	16000/H	5182:35:00	10817:25		
35-22	PASSENGER OXYGEN SYSTEM	117003-14	269352	OXYGEN GENERATOR 4 P	15RH	04.Jul.2011	8787:35:00	6697	
				Requirement	Taskcard	Interval	TSR	To go	
					LIFE LIMIT	35-022-12-01;	4380/D	3y, 235d	8y, 129d
			117003-14	269353	OXYGEN GENERATOR 4 P	12RH	04.Jul.2011	8787:35:00	6697
					Requirement	Taskcard	Interval	TSR	To go
					LIFE LIMIT	35-022-12-01;	4380/D	3y, 235d	8y, 129d
			117003-14	269354	OXYGEN GENERATOR 4 P	14RH	04.Jul.2011	8787:35:00	6697
					Requirement	Taskcard	Interval	TSR	To go
					LIFE LIMIT	35-022-12-01;	4380/D	3y, 235d	8y, 129d
			117003-14	269355	OXYGEN GENERATOR 4 P	11RH	04.Jul.2011	8787:35:00	6697
					Requirement	Taskcard	Interval	TSR	To go
					LIFE LIMIT	35-022-12-01;	4380/D	3y, 235d	8y, 129d
			117003-14	269356	OXYGEN GENERATOR 4 P	07RH	01.Jul.2011	8787:35:00	6697
					Requirement	Taskcard	Interval	TSR	To go
			LIFE LIMIT	35-022-12-01;	4380/D	3y, 235d	8y, 129d		
	117003-14	269357	OXYGEN GENERATOR 4 P	13RH	04.Jul.2011	8787:35:00	6697		
			Requirement	Taskcard	Interval	TSR	To go		

<u>ATA</u>	<u>Description</u>	<u>Partno</u>	<u>Serialno</u>	<u>Description</u>	<u>Pos.</u>	<u>Inst-Date</u>	<u>TSN</u>	<u>CSN</u>
		117003-14	269358	LIFE LIMIT OXYGEN GENERATOR 4 P Requirement	35-022-12-01; 20RH Taskcard	4380/D 04.Jul.2011 Interval	3y, 235d 8787:35:00 TSR	8y, 129d 6697 To go
		117003-14	269359	LIFE LIMIT OXYGEN GENERATOR 4 P Requirement	35-022-12-01; 10RH Taskcard	4380/D 01.Jul.2011 Interval	3y, 235d 8787:35:00 TSR	8y, 129d 6697 To go
		117003-14	269360	LIFE LIMIT OXYGEN GENERATOR 4 P Requirement	35-022-12-01; 19RH Taskcard	4380/D 04.Jul.2011 Interval	3y, 235d 8787:35:00 TSR	8y, 129d 6697 To go
		117003-14	269361	LIFE LIMIT OXYGEN GENERATOR 4 P Requirement	35-022-12-01; 17RH Taskcard	4380/D 04.Jul.2011 Interval	3y, 235d 8787:35:00 TSR	8y, 129d 6697 To go
		117003-14	269362	LIFE LIMIT OXYGEN GENERATOR 4 P Requirement	35-022-12-01; 18RH Taskcard	4380/D 04.Jul.2011 Interval	3y, 235d 8787:35:00 TSR	8y, 129d 6697 To go
		117003-14	269363	LIFE LIMIT OXYGEN GENERATOR 4 P Requirement	35-022-12-01; 16RH Taskcard	4380/D 04.Jul.2011 Interval	3y, 235d 8787:35:00 TSR	8y, 129d 6697 To go
		117003-14	269394	LIFE LIMIT OXYGEN GENERATOR 4 P Requirement	35-022-12-01; 24RH Taskcard	4380/D 04.Jul.2011 Interval	3y, 235d 8787:35:00 TSR	8y, 129d 6697 To go
		117003-14	269395	LIFE LIMIT OXYGEN GENERATOR 4 P Requirement	35-022-12-01; 04RH Taskcard	4380/D 01.Jul.2011 Interval	3y, 235d 8787:35:00 TSR	8y, 129d 6697 To go
		117003-14	269467	LIFE LIMIT OXYGEN GENERATOR 4 P Requirement	35-022-12-01; 10LH Taskcard	4380/D 01.Jul.2011 Interval	3y, 235d 8787:35:00 TSR	8y, 129d 6697 To go
		117003-14	269468	LIFE LIMIT OXYGEN GENERATOR 4 P Requirement	35-022-12-01; 09LH Taskcard	4380/D 01.Jul.2011 Interval	3y, 235d 8787:35:00 TSR	8y, 129d 6697 To go
		117003-14	269469	LIFE LIMIT OXYGEN GENERATOR 4 P Requirement	35-022-12-01; 11LH Taskcard	4380/D 01.Jul.2011 Interval	3y, 235d 8787:35:00 TSR	8y, 129d 6697 To go
		117003-14	269470	LIFE LIMIT OXYGEN GENERATOR 4 P Requirement	35-022-12-01; 15LH Taskcard	4380/D 01.Jul.2011 Interval	3y, 235d 8787:35:00 TSR	8y, 129d 6697 To go
		117003-14	269471	LIFE LIMIT OXYGEN GENERATOR 4 P Requirement	35-022-12-01; 08LH Taskcard	4380/D 01.Jul.2011 Interval	3y, 235d 8787:35:00 TSR	8y, 129d 6697 To go
		117003-14	269472	LIFE LIMIT OXYGEN GENERATOR 4 P Requirement	35-022-12-01; 04LH Taskcard	4380/D 01.Jul.2011 Interval	3y, 235d 8787:35:00 TSR	8y, 129d 6697 To go
		117003-14	269473	LIFE LIMIT OXYGEN GENERATOR 4 P Requirement	35-022-12-01; 17LH Taskcard	4380/D 01.Jul.2011 Interval	3y, 235d 8787:35:00 TSR	8y, 129d 6697 To go
		117003-14	269474	LIFE LIMIT OXYGEN GENERATOR 4 P Requirement	35-022-12-01; 16LH Taskcard	4380/D 01.Jul.2011 Interval	3y, 235d 8787:35:00 TSR	8y, 129d 6697 To go
		117003-14	269475	LIFE LIMIT OXYGEN GENERATOR 4 P	35-022-12-01; 12LH	4380/D 01.Jul.2011	3y, 235d 8787:35:00	8y, 129d 6697

<u>ATA</u>	<u>Description</u>	<u>Partno</u>	<u>Serialno</u>	<u>Description</u>	<u>Pos.</u>	<u>Inst-Date</u>	<u>TSN</u>	<u>CSN</u>
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	35-022-12-01;	4380/D	3y, 235d	8y, 129d
117003-14		269476		OXYGEN GENERATOR 4 P	13LH	01.Jul.2011	8787:35:00	6697
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	35-022-12-01;	4380/D	3y, 235d	8y, 129d
117003-14		269477		OXYGEN GENERATOR 4 P	07LH	01.Jul.2011	8787:35:00	6697
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	35-022-12-01;	4380/D	3y, 235d	8y, 129d
117003-14		269478		OXYGEN GENERATOR 4 P	06LH	01.Jul.2011	8787:35:00	6697
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	35-022-12-01;	4380/D	3y, 235d	8y, 129d
117003-14		269479		OXYGEN GENERATOR 4 P	23LH	01.Jul.2011	8787:35:00	6697
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	35-022-12-01;	4380/D	3y, 235d	8y, 129d
117003-14		269480		OXYGEN GENERATOR 4 P	19LH	01.Jul.2011	8787:35:00	6697
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	35-022-12-01;	4380/D	3y, 235d	8y, 129d
117003-14		269481		OXYGEN GENERATOR 4 P	24LH	01.Jul.2011	8787:35:00	6697
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	35-022-12-01;	4380/D	3y, 235d	8y, 129d
117003-14		269482		OXYGEN GENERATOR 4 P	18LH	01.Jul.2011	8787:35:00	6697
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	35-022-12-01;	4380/D	3y, 235d	8y, 129d
117003-14		269483		OXYGEN GENERATOR 4 P	22LH	01.Jul.2011	8787:35:00	6697
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	35-022-12-01;	4380/D	3y, 235d	8y, 129d
117003-14		269484		OXYGEN GENERATOR 4 P	14LH	01.Jul.2011	8787:35:00	6697
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	35-022-12-01;	4380/D	3y, 235d	8y, 129d
117003-14		269485		OXYGEN GENERATOR 4 P	08RH	01.Jul.2011	8787:35:00	6697
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	35-022-12-01;	4380/D	3y, 235d	8y, 129d
117003-14		269486		OXYGEN GENERATOR 4 P	21LH	01.Jul.2011	8787:35:00	6697
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	35-022-12-01;	4380/D	3y, 235d	8y, 129d
117003-14		269487		OXYGEN GENERATOR 4 P	06RH	01.Jul.2011	8787:35:00	6697
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	35-022-12-01;	4380/D	3y, 235d	8y, 129d
117003-14		269488		OXYGEN GENERATOR 4 P	23RH	04.Jul.2011	8787:35:00	6697
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	35-022-12-01;	4380/D	3y, 235d	8y, 129d
117003-14		269489		OXYGEN GENERATOR 4 P	09RH	01.Jul.2011	8787:35:00	6697
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	35-022-12-01;	4380/D	3y, 235d	8y, 129d
117003-14		269490		OXYGEN GENERATOR 4 P	20LH	01.Jul.2011	8787:35:00	6697
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	35-022-12-01;	4380/D	3y, 235d	8y, 129d
117003-14		269503		OXYGEN GENERATOR 4 P	25LH	01.Jul.2011	8787:35:00	6697
				Requirement	Taskcard	Interval	TSR	To go
				LIFE LIMIT	35-022-12-01;	4380/D	3y, 235d	8y, 129d

<u>ATA</u>	<u>Description</u>	<u>Partno</u>	<u>Serialno</u>	<u>Description</u>	<u>Pos.</u>	<u>Inst-Date</u>	<u>TSN</u>	<u>CSN</u>
		117003-14	269505	OXYGEN GENERATOR 4 P Requirement	25RH Taskcard	04.Jul.2011	8787:35:00	6697
				LIFE LIMIT	35-022-12-01;	Interval	TSR	To go
		117003-14	269506	OXYGEN GENERATOR 4 P Requirement	21RH Taskcard	04.Jul.2011	8787:35:00	6697
				LIFE LIMIT	35-022-12-01;	Interval	TSR	To go
		117003-14	269507	OXYGEN GENERATOR 4 P Requirement	05RH Taskcard	01.Jul.2011	8787:35:00	6697
				LIFE LIMIT	35-022-12-01;	Interval	TSR	To go
		117003-14	269508	OXYGEN GENERATOR 4 P Requirement	22RH Taskcard	04.Jul.2011	8787:35:00	6697
				LIFE LIMIT	35-022-12-01;	Interval	TSR	To go
		E71740-00	ARAM-F003-360	GENERATOR Requirement	03LH Taskcard	25.May.2013	3784:35:00	2879
				LIFE LIMIT	35-022-12-01;	Interval	TSR	To go
		E71740-00	ARAM-F003-368	GENERATOR Requirement	05LH Taskcard	25.May.2013	3784:35:00	2879
				LIFE LIMIT	35-022-12-01;	Interval	TSR	To go
		E71740-00	ARAM-F003-373	GENERATOR Requirement	02RH Taskcard	25.May.2013	3784:35:00	2879
				LIFE LIMIT	35-022-12-01;	Interval	TSR	To go
		E71740-00	ARAM-F003-379	GENERATOR Requirement	01RH Taskcard	25.May.2013	3784:35:00	2879
				LIFE LIMIT	35-022-12-01;	Interval	TSR	To go
		E71740-00	ARAM-F003-390	GENERATOR Requirement	01LH Taskcard	25.May.2013	3784:35:00	2879
				LIFE LIMIT	35-022-12-01;	Interval	TSR	To go
		E71740-00	ARAM-F003-399	GENERATOR Requirement	02LH Taskcard	25.May.2013	3784:35:00	2879
				LIFE LIMIT	35-022-12-01;	Interval	TSR	To go
		E71740-00	ARAM-F003-563	GENERATOR Requirement	03RH Taskcard	31.May.2013	3724:35:00	2834
				LIFE LIMIT	35-022-12-01;	Interval	TSR	To go
35-31	PORTABLE OXYGEN EQUIPMENT	5500A1ABF23A	39722X	BOTTLE - OXYGEN 4,25 CU.FT Requirement	FWD#2 Taskcard	16.Jun.2013	UNKNOWN	UNKNOWN
				OVERHAUL	NAS-3530-001;	Interval	TSR	To go
		5500A1ABF23A	67609U	BOTTLE - OXYGEN 4,25 CU.FT Requirement	FWD#1 Taskcard	10.Aug.2014	UNKNOWN	UNKNOWN
				OVERHAUL	NAS-3530-001;	Interval	TSR	To go
		5500C1ABF23A	38878CV	BOTTLE - OXYGEN Requirement	AFT#2 Taskcard	05.Nov.2013	UNKNOWN	UNKNOWN
				OVERHAUL	NAS-3530-001;	Interval	TSR	To go
		5500C1ABF23A	99282R	BOTTLE - OXYGEN Requirement	AFT#1 Taskcard	17.Sep.2014	14127:36	9407
				OVERHAUL	NAS-3530-001;	Interval	TSR	To go
		5500C1ABF23A	ST264966	BOTTLE - OXYGEN Requirement	13LH Taskcard	27.Mar.2014	UNKNOWN	UNKNOWN
				OVERHAUL	NAS-3530-001;	Interval	TSR	To go
36-12	BLEED AIR PRECOOLER SYSTEM	129666-2	6751	SENSOR - PRE COOLER CONT VALVE Requirement	01RH Taskcard	17.Sep.2012	36975:35	24183
						Interval	TSR	To go

<u>ATA</u>	<u>Description</u>	<u>Partno</u>	<u>Serialno</u>	<u>Description</u>	<u>Pos.</u>	<u>Inst-Date</u>	<u>TSN</u>	<u>CSN</u>
		129666-3	13772	REPLACE SENSOR - PRE COOLER CONT VALVE Requirement	36-012-45-01; 36-012-45-02; 01LH Taskcard	16000/H 01.Nov.2012 Interval	5359:35:00 21145:35 TSR	10640:25 8892 To go
		3289562-5	6303	REPLACE VALVE - PRECOOLER CONTROL Requirement	36-012-45-01; 36-012-45-02; RH Taskcard	16000/H 16.Sep.2012 Interval	5182:35:00 41518:35 TSR	10817:25 22794 To go
		3289562-5	7966	REPLACE VALVE - PRECOOLER CONTROL Requirement	36-012-35-01; 36-012-35-02; LH Taskcard	16000/H 16.Jun.2013 Interval	5363:35:00 32059:35 TSR	10636:25 20004 To go
72-00	ENGINE ASSY	CFM56-3B2	724473	REPLACE ENGINE ASSY CFM56-3B2 Requirement	36-012-35-01; 36-012-35-02; LH Taskcard	16000/H 16.Jun.2013 Interval	8509:35:00 65865:35 TSR	7490:25:00 40231 To go
		CFM56-3B2	725495	CLEANING LUBRICATION ENGINE ASSY CFM56-3B2 Requirement	NAS-7200-002; 72-031-02-01; RH Taskcard	182/ID 1500/C 16.Sep.2012 Interval	19 1 69370:35 TSR	163 1'499 42485 To go
72-31	FAN AND BOOSTER	1588M89G03	GWN094F0	LUBRICATION SPOOL - HPC STAGE 4-9 Requirement	72-031-02-02; LH Taskcard	1500/C 16.Jun.2013 Interval	1 23789:35 TSR	1'499 18768 To go
		1590M59P01	GWN02KK9	LIFE LIMIT DISK - HPC STG 3 Requirement	NAS-LCF-CFM56; RH Taskcard	20000/C 16.Sep.2012 Interval	18'768 25812:35 TSR	1'232 14730 To go
		1590M59P01	XAEF2757	LIFE LIMIT DISK - HPC STG 3 Requirement	NAS-LCF-CFM56; LH Taskcard	20000/C 16.Jun.2013 Interval	14'730 23789:35 TSR	5'270 18768 To go
		335-009-306-0	BC391316	LIFE LIMIT BOOSTER SPOOL Requirement	NAS-LCF-CFM56; LH Taskcard	20000/C 16.Jun.2013 Interval	18'768 23789:35 TSR	1'232 18768 To go
		335-009-306-0	DD937140	LIFE LIMIT BOOSTER SPOOL Requirement	NAS-LCF-CFM56; NAS-7100-002; RH Taskcard	30000/C 16.Sep.2012 Interval	18'768 16016:35 TSR	11'232 12704 To go
		335-014-511-0	BC610516	LIFE LIMIT DISK - FAN ASSY RTR STG 1 Requirement	NAS-LCF-CFM56; NAS-7100-002; RH Taskcard	30000/C 16.Sep.2012 Interval	12'704 21333:35 TSR	17'296 16869 To go
		335-014-511-0	DC778241	LIFE LIMIT DISK - FAN ASSY RTR STG 1 Requirement	NAS-LCF-CFM56; NAS-7100-002; LH Taskcard	24900/C 16.Jun.2013 Interval	16'869 23789:35 TSR	8'031 18768 To go
72-32	HIGH PRESSURE COMP. FRONT STATOR	335-006-414-0	DC549485	LIFE LIMIT SHAFT - FAN ASSY Requirement	NAS-LCF-CFM56; NAS-7100-002; LH Taskcard	24900/C 16.Jun.2013 Interval	18'768 23789:35 TSR	6'132 18768 To go
		335-006-414-0	DE172101	LIFE LIMIT SHAFT - FAN ASSY Requirement	NAS-LCF-CFM56; RH Taskcard	30000/C 16.Sep.2012 Interval	18'768 16016:35 TSR	11'232 12704 To go
72-34	HIGH PRESSURE COMP. ROTOR	1589M66G02	GWN0AJ7J	LIFE LIMIT SPOOL - HPC STAGE 1-2 Requirement	NAS-LCF-CFM56; RH Taskcard	30000/C 16.Sep.2012 Interval	12'704 17004:35 TSR	12'296 12776 To go
		2411M21G01	GWN0MK8P	LIFE LIMIT SPOOL - HPC STAGE 1-2 Requirement	NAS-LCF-CFM56; LH Taskcard	20000/C 16.Jun.2013 Interval	12'776 8509:35:00 TSR	7'224 6906 To go

<u>ATA</u>	<u>Description</u>	<u>Partno</u>	<u>Serialno</u>	<u>Description</u>	<u>Pos.</u>	<u>Inst-Date</u>	<u>TSN</u>	<u>CSN</u>
				LIFE LIMIT	NAS-LCF-CFM56;	20000/C	6'906	13'094
				LIFE LIMIT	-	20000/C	6'906	13'094
72-56	TURBINE FRAME ASSEMBLY	1282M72P05	XAE34602	SEAL - HPT FRONT AIR Requirement	RH Taskcard	16.Sep.2012	14253:35	11558
				LIFE LIMIT	NAS-LCF-CFM56;	15800/C	11'558	4'242
		1282M72P07	XAEM5227	SEAL - HPT FRONT AIR Requirement	LH Taskcard	16.Jun.2013	8509:35:00	6906
				LIFE LIMIT	NAS-LCF-CFM56;	15800/C	6'906	8'894
		1385M90P04	XAEJ3520	SHAFT - HPT FRONT Requirement	RH Taskcard	16.Sep.2012	16016:35	12704
				LIFE LIMIT	NAS-LCF-CFM56;	17300/C	12'704	4'596
		1385M90P04	XAEL9271	SHAFT - HPT FRONT Requirement	LH Taskcard	16.Jun.2013	8509:35:00	6906
				LIFE LIMIT	NAS-LCF-CFM56;	17300/C	6'906	10'394
		1475M29P03	GWN0GAED	DISK - HPT Requirement	RH Taskcard	16.Sep.2012	16016:35	12704
				LIFE LIMIT	NAS-LCF-CFM56;	18500/C	12'704	5'796
		1475M29P03	XAEL4023	DISK - HPT Requirement	LH Taskcard	16.Jun.2013	8509:35:00	6906
				LIFE LIMIT	NAS-LCF-CFM56;	18500/C	6'906	11'594
		1864M91P02	TMTTH693	SHAFT - HPT REAR Requirement	LH Taskcard	16.Jun.2013	23789:35	18768
				LIFE LIMIT	NAS-LCF-CFM56;	20000/C	18'768	1'232
		1864M91P02	TMTTH833	SHAFT - HPT REAR Requirement	RH Taskcard	16.Sep.2012	20665:35	15569
				LIFE LIMIT	NAS-LCF-CFM56;	20000/C	15'569	4'431
		301-330-067-0	LA102833	SHAFT - LPT Requirement	RH Taskcard	16.Sep.2012	28430:35	23163
				LIFE LIMIT	NAS-LCF-CFM56; NAS-7100-002;	30000/C	23'163	6'837
		301-330-067-0	LA122685	SHAFT - LPT Requirement	LH Taskcard	16.Jun.2013	23789:35	18768
				LIFE LIMIT	NAS-LCF-CFM56; NAS-7100-002;	30000/C	18'768	11'232
		301-330-626-0	BB473302	SHAFT - LPT STUB Requirement	RH Taskcard	16.Sep.2012	22864:35	17904
				LIFE LIMIT	NAS-LCF-CFM56; NAS-7100-002;	25000/C	17'904	7'096
		301-330-626-0	DC797016	SHAFT - LPT STUB Requirement	LH Taskcard	16.Jun.2013	23789:35	18768
				LIFE LIMIT	NAS-LCF-CFM56; NAS-7100-002;	25000/C	18'768	6'232
		301-331-126-0	BB459044	DISK - LPT STAGE 1 Requirement	RH Taskcard	16.Sep.2012	22864:35	17904
				LIFE LIMIT	NAS-LCF-CFM56; NAS-7100-002;	25000/C	17'904	7'096
		301-331-126-0	BC362230	DISK - LPT STAGE 1 Requirement	LH Taskcard	16.Jun.2013	23789:35	18768
				LIFE LIMIT	NAS-LCF-CFM56; NAS-7100-002;	25000/C	18'768	6'232
		301-331-227-0	BB473843	DISK - LPT STAGE 2 Requirement	RH Taskcard	16.Sep.2012	22864:35	17904
				LIFE LIMIT	NAS-LCF-CFM56; NAS-7100-002;	25000/C	17'904	7'096
		301-331-227-0	BC362244	DISK - LPT STAGE 2 Requirement	LH Taskcard	16.Jun.2013	23789:35	18768
				LIFE LIMIT	NAS-LCF-CFM56; NAS-7100-002;	25000/C	18'768	6'232

<u>ATA</u>	<u>Description</u>	<u>Partno</u>	<u>Serialno</u>	<u>Description</u>	<u>Pos.</u>	<u>Inst-Date</u>	<u>TSN</u>	<u>CSN</u>
		301-331-322-0	BB425344	DISK - LPT STAGE 3 Requirement	RH Taskcard	16.Sep.2012	22864:35	17904
				LIFE LIMIT	NAS-LCF-CFM56; NAS-7100-002;	Interval	TSR	To go
		301-331-322-0	BC305775	DISK - LPT STAGE 3 Requirement	LH Taskcard	16.Jun.2013	23789:35	18768
				LIFE LIMIT	NAS-LCF-CFM56; NAS-7100-002;	Interval	TSR	To go
		301-331-429-0	BC324981	DISK - LPT STAGE 4 Requirement	LH Taskcard	16.Jun.2013	23789:35	18768
				LIFE LIMIT	NAS-LCF-CFM56; NAS-7100-002;	Interval	TSR	To go
		301-331-429-0	DB687660	DISK - LPT STAGE 4 Requirement	RH Taskcard	16.Sep.2012	22864:35	17904
				LIFE LIMIT	NAS-LCF-CFM56; NAS-7100-002;	Interval	TSR	To go
		305-056-116-0	BB596697	SUPPORT - CONICAL LPT Requirement	LH Taskcard	16.Jun.2013	29058:35	22810
				LIFE LIMIT	NAS-LCF-CFM56; NAS-7100-002;	Interval	TSR	To go
		305-056-116-0	DB687740	SUPPORT - CONICAL LPT Requirement	RH Taskcard	16.Sep.2012	22864:35	17904
				LIFE LIMIT	NAS-LCF-CFM56; NAS-7100-002;	Interval	TSR	To go
75-32	VARIABLE BLEED VALVE (VBV) ACTUATION SYSTEM	1275M37P02	GWN09322	SHAFT - HPC FRONT Requirement	LH Taskcard	16.Jun.2013	23789:35	18768
				LIFE LIMIT	NAS-LCF-CFM56;	Interval	TSR	To go
		1275M37P02	GWN099NL	SHAFT - HPC FRONT Requirement	RH Taskcard	16.Sep.2012	15730:35	13196
				LIFE LIMIT	NAS-LCF-CFM56;	Interval	TSR	To go
		1319M25P02	GFF5E48T	SEAL- HPC REAR AIR Requirement	RH Taskcard	16.Sep.2012	16016:35	12704
				LIFE LIMIT	NAS-LCF-CFM56;	Interval	TSR	To go
		1319M25P02	GFF5EDD6	SEAL- HPC REAR AIR Requirement	LH Taskcard	16.Jun.2013	8509:35:00	6906
				LIFE LIMIT	NAS-LCF-CFM56;	Interval	TSR	To go
		1590M29G01	GWNYN282	SPOOL - HPC STAGE 4-9 Requirement	RH Taskcard	16.Sep.2012	20477:35	15535
				LIFE LIMIT	NAS-LCF-CFM56;	Interval	TSR	To go